ELSEVIER

Talanta 46 (1998) 1629–1639

Talanta

Volume Contents

Volume 46 (1998)

No. 1 **May 1998**

Analysis of prostaglandins in SD rats by capillary zone electrophoresis with indirected UV detection
H. Jin-Lan, L. Hui-Ping and L. Xiao-Ge (Zhanjiang, People's Republic of China) 1
Extraction-spectrophotometric determination of phenytoin in capsules and plasma using potassium permanganate/dicyclohexano-24-crown-8
M.A. Korany, M.M. Bedair and R.S. Haggag (Alexandria, Egypt) 9
Fabrication of a multilayer film electrode containing porphyrin and its application as a potentiometric sensor of iodide ion
C. Sun, J. Zhao, H. Xu, Y. Sun, X. Zhang and J. Shen (Changchun, People's Republic of China). . 15
Quantitative analysis of chromium(V) by EPR spectroscopy
J. Chappell, B. Chiswell and A. Canning (Brisbane QLD, Australia) 23
Spectrophotometric methods for the determination of certain catecholamine derivatives in pharmaceutical preparations
P. Nagaraja (Mysore, India), K.C.S. Murthy (Bangalore, India), K.S. Rangappa (Mysore, India) and N.M.M. Gowda (Macomb, IL, USA) 39
Gas chromatographic characteristics and application studies of the stationary phase of CH-B-15-C-5
Q. Xiaotian (Nanchong, People's Republic of China), Z. Zaide, X. Minggui, Z. Yongchang (Chengdu, People's Republic of China) and T. Ying (Yongchuan, People's Republic of China) 45
Binary and ternary complexes of inosine
M.M. Khalil and A.M. Radalla (Beni-Suef, Egypt). 53
The hexacyanomanganate(IV)–hydrogen peroxide reaction. Kinetic determination of vanadium
R. Angulo (San Sebastián, Spain), G. López-Cueto (Alicante, Spain) and C. Ubide (San Sebastián, Spain) 63
Application of principal component regression to the determination of Captopril by differential pulse polarography with no prior removal of dissolved oxygen
J.M.G. Fraga, A.I.J. Abizanda, F.J. Moreno and J.J.A. León (Tenerife, Spain) 75
Differential pulse polarographic determination of ofloxacin in pharmaceuticals and biological fluids
M. Rizk, F. Belal, F.A. Aly and N.M. El-Enany (Mansoura, Egypt) 83
Taurine as a ligand. An investigation of Ag(I)– and Cd(II)–taurine complex equilibria by direct and competitive techniques, and use of the Ag(I)–taurine complex electrode to assess taurine in solution
E. Bottari and M.R. Festa (Roma, Italy) 91
Degradation of ampicillin in the presence of cadmium (II) ions
A. Márquez García (Jaen, Spain), P. Gutiérrez Navarro and P.J. Martínez de las Parras (Granada, Spain) 101
Charge-transfer complexes of barbiturates and phenytoin
G.A. Saleh (Assiut, Egypt) 111
Preconcentration of trace uranium from seawater with solid phase extraction followed by differential pulse polarographic determination in chloroform eluate
D. Dojozan, M.H. Pournaghi-Azar and J. Toutounchi-Asr (Tabriz, Iran). 123
Modelling the background current with partial least squares regression and transference of the calibration models in the simultaneous determination of Tl and Pb by stripping voltammetry
A. Herrero and M.C. Ortiz (Burgos, Spain) 129

Determination of rhodium in waters by Mg–W cell-electrodeposition and electrothermal atomic absorption spectrometry
S. Kaneco, J. Ogawa, K. Ohta, S.-i. Itoh and T. Mizuno (Tsu, Mie, Japan) 139
A useful UV spectroscopic method for the determination of the concentration of diethylenetriamine (DETA) in aqueous mineral flotation solutions
H.J. Gass, I.S. Butler, S. Ram Rao, Z. Xu and J.A. Finch (Montreal, Quebec, Canada). 145
Determination of the solubility product of $Ba(IO_3)_2$ by flow injection with amperometric detection
B. Mendes Martins and M. Bertotti (São Paulo, Brazil). 149
A supercoiled DNA-modified mercury electrode-based biosensor for the detection of DNA strand cleaving agents
M. Fojta, V. Staxková, E. Paleček (Brao, Czech Republic), P. Koscielniak and J. Mitáš (Dolní Rožínka, Czech Republic) 155
Liquid–liquid extraction of palladium(II) with *N*-*n*-octylaniline from hydrochloric acid media
T.N. Lokhande, M.A. Anuse and M.B. Chavan (Kolhapur, India) 163
Bovine serum albumin as a means to immobilize DNA on a silver-plated bulk acoustic wave DNA biosensor
H. Zhang, R. Wang, H. Tan, L. Nie and S. Yao (Changsha, People's Republic of China). 171
Chemiluminescence (CL) emission generated during oxidation of pyrogallol and its application in analytical chemistry. I. Effect of oxidant compound
N.P. Evmiridis, N.K. Thanasoulias and A.G. Vlessidis (Ioannina, Greece) 179
Determination of stability constants of Fe(II), Co(II) and Cu(II)–nitrilotriacetate–penicillamine mixed complexes by electrophoresis
V.K. Gupta and I. Ali (Roorkee, India) 197
Studies on the extraction and separation of lanthanide ions with a synergistic extraction system combined with 1,4,10,13-tetrathia-7,16-diazacyclooctadecane and lauric acid
Y. Masuda, Y. Zhang (Kobe, Japan), C. Yan and B. Li (Beijing, People's Republic of China) 203
Determination of chromium in waste-water and cast iron samples by fluorescence quenching of rhodamine 6G
N. Jie, Q. Zhang, J. Yang and X. Huang (Jinan, People's Republic of China). 215
Simultaneous determination of pseudoephedrine hydrochloride and diphenhydramine hydrochloride in cough syrup by gas chromatography (GC)
S.V. Raj, S.U. Kapadia and A.P. Argekar (Mumbai, India) 221
Possibilities for speciation of Al–citrate and other negatively charged Al complexes by anion-exchange FPLC–ICP-AES
T. Bantan, R. Milačič and B. Pihlar (Ljubljana, Slovenia). 227
Book reviews. 237

No. 2 **June 1998**

Special Issue: *International Workshop on Metallothioneins, European Commission, Joint Research Centre-IRMM, Geel, Belgium October 30–31, 1996*

Preface vii

Metallothioneins: historical review and state of knowledge
M. Nordberg (Stockholm, Sweden) 243
Strategies for the qualitative and quantitative analysis of metallothionein isoforms by capillary electrophoresis
J.H. Beattie (Aberdeen, Scotland) 255
Analysis for metallothioneins using coupled techniques
R. Lobinski, H. Chassaigne and J. Szpunar (Talence, France) 271

Metallothionein isoforms from horse, rabbit and rat separated by capillary zone electrophoresis at low pH
T.W. Wilhelmsen (Oslo, Norway), P.A. Olsvik (Trondheim, Norway), S.W. Teigen (Oslo, Norway) and R.A. Andersen (Trondheim, Norway) 291
Cadmium and metallothionein turnover in different tissues of the gastropod *Littorina littorea*
M.J. Bebianno (Faro, Portugal) and W.J. Langston (Plymouth, UK) 301
Characterisation of human foetal liver Zn-metallothioneins using differential pulse polarography
O. Nieto (Geel, Belgium), G. Hellemans (Heverlee, Belgium), G. Bordin (Geel, Belgium), M. De Ley (Heverlee, Belgium)
and A.R. Rodríguez (Geel, Belgium) 315
New competitive enzyme-linked immunosorbent assay for determination of metallothionein in tissue and sera
M. Apostolova, C. Nachev, M. Koleva, P.R. Bontchev and I. Kehaiov (Sofia, Bulgaria). 325
The determination of environmental and industrial exposure to heavy metals based on the quantitative isolation of metallothionein from human fluids, with application of covalent affinity chromatography with thiol-disulphide interchange gel as a solid-phase extraction support
A.K.M. Kabziński (Narutowicza, Poland) 335
Separation of metallothionein isoforms of mouse liver cytosol by capillary zone electrophoresis
T. Minami, C. Yoshita, M. Tanaka, K. Kubo, N. Okabe and Y. Okazaki (Osaka, Japan). 347
Zincsulphate induced metallothionein in pancreatic islets and protected against the diabetogenic toxin streptozotocin
P. Ohly, Z. Wang, J. Abel and H. Gleichmann (Düsseldorf, Germany) 355

Announcements 361

No. 3 **July 1998**

Special Issue: The Workshop on Standards, Measurements and Testing for Solid Waste Management, Pau, France, 5–7 May 1997, Guest edited by Ph. Quevauviller

Preface vii

Development of a quick leaching test for monolithic materials by using factorial design
M. Wahlström (FIN, Finland), A.-M. Fällman (Linköping, Sweden), O. Hjelmar (Hørsholm, Denmark), K.H. Karstensen (Oslo, Norway), E.L. Sveinsdottir (Reykjavik, Iceland) and X.-M. Song (FIN, Finland). 365
Pollutants leaching behaviour from solidified wastes: A selection of adapted various models
P. Moszkowicz, F. Sanchez, R. Barna and J. Méhu (Villeurbanne, France). 375
Coupling superheated water extraction with enzyme immunoassay for an efficient and fast PAH screening in soil
S. Kipp, H. Peyrer and W. Kleiböhmer (Münster, Germany). 385
Speciation of organotin in environmental sediment samples
M. Ceulemans, S. Slaets and F. Adams (Wilrijk, Belgium) 395
Macro and microchemistry of trace metals in vitrified domestic wastes by laser ablation ICP-MS and scanning electron microprobe X-ray energy dispersive spectroscopy
M. Motelica-Heino (Pau, France), P. Le Coustumer, J.H. Thomassin, A. Gauthier (Poitiers, France) and O.F. Donard (Pau, France) 407
Methods for chemical analysis of contaminated soil samples—tests of their reproducibility between Nordic laboratories
K.H. Karstensen, O. Ringstad, I. Rustad (Oslo, Norway), K. Kalevi, K. Jørgensen (Helsinki, Finland), K. Nylund, T. Alsberg (Stockholm, Sweden), K. Ólafsdóttir (Reykjavik, Iceland), O. Heidenstam (Stockholm, Sweden) and H. Solberg (Oslo, Norway) 423

Use of microwave digestion for estimation of heavy metal content of soils in a geochemical survey
D. McGrath (Wexford, Ireland) 439
Extraction procedures for the determination of heavy metals in contaminated soil and sediment
G. Rauret (Barcelona, Spain) 449
The EC Standards, Measurements and Testing Programme in support of the quality control of waste analysis
P. Quevauviller (Brussels, Belgium) 457

No. 4 **August 1998**

Review

Sensitivity and selectivity of electrochemical enzyme sensors for inhibitor determination
G.A. Evtugyn, H.C. Budnikov and E.B. Nikolskaya (420008, Russia) 465

Regular

Liquid chromatographic determination of cobalt(II), copper(II) and iron(II) using 2-thiophenaldehyde-4-phenyl-3-thiosemicarbazone as derivatizing reagent
M.Y. Khuhawar and S.N. Lanjwani (Sindh, Pakistan) 485
Mixed ligand complexes of benzimidazole and pyrimidine hydroxy azo dyes with some transition metals and glycine, DL-alanine or DL-leucine
A.H. Amrallah, N.A. Abdalla and E.Y. El-Haty (Aswan, Egypt) 491
Spectrophotometric determination of isoproturon using *p*-aminoacetophenone and its application in environmental and biological samples
O. Agrawal, J.V. Das and V.K. Gupta (Raipur, India) 501
Extraction of phenols using polyurethane membrane
K. Rzeszutek and A. Chow (Winnipeg, MB, Canada) 507
Calix(6)arene carboxylate derivative for solvent extraction separation of iron(III)
R.M. Khandwe and S.M. Khopkar (Bombay, India) 521
Determination of trace europium based on new fluorimetric system of europium(III) with thenoyltrifluoroacetone and *N*,*N*′-dinaphthyl-*N*,*N*′-diphenyl-3,6-dioxaoctanediamide
W. Yang, X.-l. Teng, M. Chen, J.-z. Gao, L. Yuan, J.-w. Kang, Q.-y. Ou and S.-x. Liu (Lanzhou, People's Republic of China) 527
Determination of yttrium, scandium and other rare earth elements in uranium-rich geological materials by ICP–AES
G.V. Ramanaiah (Hyderabad, India) 533
Polymer-mediated extraction of 8-quinolinolato metal chelates for the determination of metal ions in water with graphite furnace atomic absorption spectrometry
T. Saitoh, T. Ohyama, T. Sakurai, T. Kaise, K. Takamura (Tokyo, Japan), Y. Suzuki (Tsukuba, Japan) and C. Matsubara (Tokyo, Japan) 541
Novel dye-attached macroporous films for cadmium, zinc and lead sorption: Alkali Blue 6B-attached macroporous poly(2-hydroxyethyl methacrylate)
A. Denizli, K. Kesenci (Ankara, Turkey), M.Y. Arıca (Kırıkkale, Turkey), B. Salih, V. Hasırcı and E. Pişkin (Ankara, Turkey) 551
Spectrophotometric determination of methyldopa and dopamine in pharmaceutical formulations using a crude extract of sweet potato root (*Ipomoea batatas* (L.) Lam.) as enzymatic source
I. da Cruz Vieira and O. Fatibello-Filho (São Carlos, SP, Brazil) 559
Chemiluminescent detection of amines and amino acids using in situ generated $Ru(bpy)_3^{3+}$ following separation by capillary electrophoresis
D.R. Bobbitt (Fayetteville, AR, USA), W.A. Jackson (Batesville, AR, USA) and H.P. Hendrickson (Edwardsville, IL, USA) 565
Response of a benzoxainone derivative linked to monoaza-15-crown-5 with divalent heavy metals
R.S. Addleman (Moscow, ID, USA), J. Bennett (La Grande, OR, USA), S.H. Tweedy (Seattle, WA, USA), S. Elshani and C.M. Wai (Moscow, ID, USA) 573

Photoinitiated gold sol generation in aqueous Triton X-100 and its analytical application for spectrophotometric determination of gold
A. Pal (Kharagpur, India) 583
Determination of milk-oxidised ketone bodies as an acetone derivative by electron capture gas chromatography
I. Sarudi and É. Visi-Varga (Kaposvár, Hungary) 589
Further development of catalase, tyrosinase and glucose oxidase based organic phase enzyme electrode response as a function of organic solvent properties
L. Campanella, G. Favero, M.P. Sammartino and M. Tomassetti (Rome, Italy). 595
Differential pulse anodic stripping voltammetry of lead (II) benzoylacetonate in chloroform: Application to the analysis of free-lead gasoline and gas oil samples
M.H. Pournaghi-Azar and A.H. Ansary-Fard (Tabriz, Iran) 607
Direct determination of copper and zinc in cow milk, human milk and infant formula samples using electrothermal atomization atomic absorption spectrometry
N. Campillo, P. Viñas, I. López-García and M. Hernández-Córdoba (Murcia, Spain) 615
Simultaneous voltammetric determination of toxic metals in sediments
C. Locatelli and G. Torsi (Bologna, Italy). 623
Simultaneous determination of arsenic, antimony, selenium and tin by gas phase molecular absorption spectrometry after two step hydride generation and preconcentration in a cold trap system
S. Cabredo (Logroño, Spain), J. Galbán (Zaragoza, Spain) and J. Sanz (Logroño, Spain) 631
Differential electrolytic potentiometry, a detector in flow injection analysis for precipitaton reactions
A.M.S. Abdennabi and M.E. Koken (Dhahran, Saudi Arabia). 639
Salting-out extraction technique for pretreatment in the liquid chromatographic determination of copper(II), aluminum(III), iron(III) and manganese(II) in biological samples
Y. Nagaosa and K. Sakata (Fukui, Japan) 647
Differential pulse polarographic determination of trace amounts of vanadium and molybdenum in various standard alloys and environmental samples after preconcentration of their morpholine-4-carbodithioates on microcrystalline naphthalene or morpholine-4-dithiocarbamate cetyltrimethyl-ammonium bromide-naphthalene adsorbent
S. Puri, R.K. Dubey, M.K. Gupta and B.K. Puri (New Delhi, India). 655
Extractive spectrophotometric determination of some phenothiazine derivatives in pharmaceutical preparations
K. Basavaiah (Mysore, India) and G. Krishnamurthy (Mandya, India) 665
Spectrophotometric determination of nitrate and nitrite in water and some fruit samples using column preconcentration
G.F. Wang, M. Satake and K. Horita (Fukui, Japan). 671
An optical fiber sensor for berberine based on immobilized 1,4-bis(naphth[2,1-d]oxazole-2-yl)benzene in a new copolymer
W.-H. Liu (Changsha, Yantai, People's Republic of China), Y. Wang, J.-H. Tang, G.-L. Shen and R.-Q. Yu (Changsha, People's Republic of China). 679
Spectrophotometric measurement of uranium(VI)-tributylphosphate complex in supercritical carbon dioxide
T. Sasaki, Y. Meguro and Z. Yoshida (Ibaraki, Japan) 689
Determination of nickel in human urine by ion chromatography with series bulk acoustic wave detection
X.-R. Yang, Z.-C. Qiao, W.-Z. Wei and S.-Z. Yao (Changsha, People's Republic of China). 697
Spectrophotometric determination of lithium ion using a water-soluble octabromoporphyrin in aqueous solution
M. Tabata, J. Nishimoto and T. Kusano (Saga, Japan) 703

Short communication
Electrochemical quartz crystal microbalance characterization of I^- and its amperometric detection by microelectrode
W. Zhang, H. Zha, B. Yao, C. Zhang, X. Zhou and S. Zhong (Wuhan, People's Republic of China) 711

APCE '96 papers

Nanoscale analysis of pharmacologically active catechins in body fluids by HPLC using borate complex extraction pretreatment
H. Tsuchiya, M. Sato, H. Kato, H. Kureshiro and N. Takagi (Gifu, Japan) 717

A new method for the preparation of polyacrylamide gradient gel-filled capillaries with low UV detection background
Y. Chen (Beijing, People's Republic of China) 727

Mannitol influence on the separation of DNA fragments by capillary electrophoresis in entangled polymer solutions
F. Han, J. Xue and B. Lin (Dalian, People's Republic of China) 735

Separation of enantiomers of drugs by capillary electrophoresis: Part 8. β-Cyclodextrin as chiral solvating agent
B. Lin, X. Zhu (Dalian, People's Republic of China), S. Wuerthner, U. Epperlein and B. Koppenhoefer (Tübingen, Germany) 743

Separation of polycyclic aromatic hydrocarbons by micellar electrokinetic chromatography with aqueous short-chain alcohol solvent
X. Fu, J. Lu and Y. Chen (Hangzhou, People's Republic of China). 751

Short communication

Determination of plasma heparin by micellar electrokinetic capillary chromatography
X.-M. Zhou, J.-W. Liu, M.-E. Zhang and S.-j. Chen (Guangzhou, People's Republic of China) . . . 757

Announcements 761

No. 5 **August 1998**

Reviews

Application of ternary and multicomponent complexes to spectrophotometric and spectrofluorimetric analysis of inorganics
T. Prasada Rao, M.L. Reddy and A. Ramalingom Pillai (Trivandrum, India) 765

Fluorimetric analysis of pesticides: Methods, recent developments and applications
A. Coly and J.-J. Aaron (Paris, France) 815

Regular

Simultaneous determination of iron and zinc by pH gradient construction in a flow-injection system
S. Zhao, X. Xia, G. Yu and B. Yang (Shenyang, China) 845

Development of flow-injection liposome immunoanalysis (FILIA) for imazethapyr
M. Lee, R.A. Durst (Geneva, NY, USA) and R.B. Wong (Princeton, NJ, USA) 851

Rate study of reduction of 2-heptanone with samarium iodide by gas chromatography
M.-R.S. Fuh, T.-Y. Lin and S.-C. Chang (Taipei, Taiwan, ROC) 861

Arsenic speciation in iron hydroxide precipitates
B. Daus, H. Weiß and R. Wennrich (Leipzig, Germany) 867

A potentiometeric study of protonation and complex formation of xylenol orange with alkaline earth and aluminum ions
M.B. Gholivand, F. Bamdad and J. Ghasemi (Kermanshah, Iran). 875

New cesium ion-selective electrodes based on anilino-(1,3-dioxo-2-indanylidene) acetonitrile derivatives
M.B. Saleh (Minia, Egypt) 885

Chemometrical optimization FIA of perphenazine assay
S.M. Sultan and A.D. Walmsley (Hull, UK) 897

Development of a bimodal polarimetric response model for improved quantitation of enantiomeric mixtures under conditions of poor chromatographic resolution
R.G. Lodevico, D.R. Bobbitt (Fayetteville, AR, USA) and T.J. Edkins (PA, USA). 907

Methods for determination of hexachlorobenzene and pentachlorophenol in soil samples
L. Polese and M.L. Ribeiro (Araraquara, SP, Brazil) 915
Radiometric determination of trace amounts of zinc using liquid scintillation counting
D. Sandhya and M.S. Subramanian (Madras, India) 921
Separation study of cadmium through an emulsion liquid membrane using triisooctylamine as mobile carrier
Q.-M. Li, Q. Liu, Q.-F. Zhang, X.-J. Wei and J.-Z. Guo (Xinxiang, People's Republic of China) . . 927
Resolution of ternary mixtures of Tartrazine, Sunset yellow and Ponceau 4R by derivative spectrophotometric ratio spectrum-zero crossing method in commercial foods
J.J. Berzas Nevado, J. Rodríguez Flores, C. Guiberteau Cabanillas, M.J. Villaseñor Llerena and A. Contento Salcedo (Ciudad Real, Spain) 933
Pentacoordinate organotin complexes as neutral carriers for salicylate-selective PVC membrane electrodes
Z.-Q. Li, R. Yuan, M. Ying, Y.-Q. Song, G.-L. Shen and R.-Q. Yu (Changsha, China) 943
Acid–base equilibria of diazepam and prazepam in montmorillonite suspensions
A.E. Ismail Mohamed (Assiut, Egypt) 951
Cerium (IV)-based chemiluminescence analysis of hydrochlorothiazide
J. Ouyang, W.R. Baeyens, J. Delanghe, G. Van der weken (Ghent, Belgium) and A.C. Calokerinos (Ghent, Belgium; Athens, Greece) 961
Full automated robotic method for the determination of chloride, nitrite and nitrate in cured meat products
A. Velasco-Arjona (Córdoba, Spain), J.A. García-Garrido, R. Quiles-Zafra (Toledo, Spain) and M.D. Luque de Castro (Córdoba, Spain) 969
Kinetic and equilibrium studies on mercury(II)-coproporphyrin-I. Metal ion exchange reaction with cobalt(II) and application to determination of trace mercury(II)
R. Giovannetti and V. Bartocci (Camerino, Italy) 977
Cyclic voltammetry determination of epinephrine with a carbon fiber ultramicroelectrode
P. Hernández, I. Sánchez, F. Patón and L. Hernández (Madrid, Spain) 985
Electrocatalysis of cytochrome *c* at a C_{60}-γ-cyclodextrin and Nafion chemically modified electrode
M.-X. Li, N.-Q. Li, Z.-N. Gu, X.-H. Zhou, Y.-L. Sun and Y.-Q. Wu (Beijing, People's Republic of China) 993
Complexation of trivalent cations (Al(III), Cr(III), Fe(III)) with two phosphonic acids in the pH range of fresh waters
S. Lacour, V. Deluchat, J.-C. Bollinger and Bernard Serpaud (Limoges, France) 999
Flow injection spectrophotometric determination of trace amounts of selenium
M.F. Mousavi, A.R. Ghiasvand and A.R. Jahanshahi (Tehran, Iran) 1011
Orthogonal array design (OAD) for the optimization of mercury extraction from soils by dilute acid with microwave heating
W. Gu, C.Y. Zhou, M.K. Wong and L.M. Gan (Singapore, Singapore) 1019
Stability studies and purification procedure for nitrite solutions in view of the preparation of isotopic reference materials
J.-C. Wolff, U. Örnemark, P.D. Taylor and P. De Bièvre (Geel, Belgium) 1031
Sequential liquid–liquid extraction graphite furnace atomic absorption spectrometric (GFAAS) and spectrophotometric determination of zirconium(IV) with calixarene hydroxamic acid
Y.K. Agrawal, M. Sanyal, P. Shrivastav and S.K. Menon (Ahmedabad, India) 1041
Effects of capacity on the preconcentration of trace metals and matrix elimination by an iminodiacetate chelating adsorbent
B. Noresson, P. Hashemi and Å. Olin (Uppsala, Sweden) 1051
pH-dependent spectral behavior of substituted quinolones: potential fluorophore for metallofluorescent indicators
G.M. Huitink (South Bend, IN, USA) 1065
Neotetrazolium chloride: a new reagent for spectrophotometric determination of manganese
M. Kamburova (Plovdiv, Bulgaria) 1073
Binding of polyanions by biogenic amines. II. Formation and stability of protonated putrescine and cadaverine complexes with carboxylic ligands
C. De Stefano (Messina, Vill. S. Agata, Italy), A. Gianguzza, R. Maniaci, D. Piazzese (Palermo, Italy) and S. Sammartano (Messina, Vill. S. Agata, Italy) 1079

Binding of polyanions by biogenic amines. I. Formation and stability of protonated putrescine and cadaverine complexes with inorganic anions
A. De Robertis, C. De Stefano (Messina, Vill. S. Agata, Italy), A. Gianguzza (Palermo, Italy) and S. Sammartano (Messina, Vill. S. Agata, Italy) 1085
On-line preconcentration of mercury by sorption on an anion-exchange resin loaded with 1,5-bis[(2-pyridyl)-3-sulphophenyl methylene] thiocarbonohydrazide and determination by cold-vapour inductively coupled plasma atomic emission
P. Cañada Rudner, A. Garcia de Torres, J.M. Cano Pavón and F. Sanchez Rojas (Malaga, Spain) 1095
Preconcentration of trace cobalt with the ion pair of 2-(5-bromo-2-pyridylazo)-5-diethylaminophenol and tetraphenylborate onto microcrystalline naphthalene or column method and its determination by derivative spectrophotometry
J.P. Pancras, B.K. Puri (New Delhi, India), M.A. Taher, A.M. Dehzoei and A. Sheibani (Kerman, Iran) 1107
Sequential extraction of U, Th, Ce, La and some heavy metals in sediments from Ortigas river, Spain
R. Martin, D.M. Sanchez and A.M. Gutierrez (Madrid, Spain) 1115
Supercritical fluid extraction of phenol compounds from olive leaves
F. Le Floch, M.T. Tena, A. Ríos and M. Valcárcel (Córdoba, Spain) 1123
Electrochemical oxidation of bentazon at a glassy carbon electrode: Application to the determination of a commercial herbicide
E. Manuela Garrido, J.L. Costa Lima, C.M. Delerue-Matos (Porto, Portugal) and A.M. Oliveira Brett (Coimbra, Portugal) 1131
Selective determination of Ni(II) and Co(II) by flow injection analysis and adsorptive cathodic stripping voltammetry on a wall jet mercury film electrode
A. Economou and P.R. Fielden (Manchester, UK) 1137
Non-protected fluid room temperature phosphorescence of several naphthalene derivatives
L. Li, Y. Zhao, Y. Wu and A. Tong (Beijing, China) 1147
Determination of tin in marine materials by using hydride generation–high resolution inductively coulped plasma mass spectrometry
Y.-L. Feng and H. Narasaki (Urawa, Japan) 1155
Fluorometric determination of 3,4-dihydroyphenylalaine in pharmaceutical formulation by reaction with paracetamol
N.-Q. Jie, D.-L. Yang, Q. Zhang, J.-G. Yang and Z.-Q. Song (Jinan, China) 1163
Trace analysis of BTEX compounds in water with a membrane interfaced ion mobility spectrometer
C. Wan, P.B. Harrington (Athens, OH, USA) and D.M. Davis (MD, USA) 1169
Solvent extraction separation of tin (IV) with 2-ethylhexyl phosphonic acid mono-2-ethylhexyl ester (PC-88A)
S.V. Bandekar and P.M. Dhadke (Mumbai, India) 1181
Extraction behaviour of copper(II) and silver(I) with a thiacrown ether carboxylic acid, 2-(3,6, 10,13-tetrathiacyclotetradec-1-oxy)hexanoic acid
K. Saito, I. Taninaka, S. Murakami and A. Muromatsu (Kobe, Japan) 1187
Multivariate analysis of Cd(II), In(III), Tl(I) and Pb(II) in mixtures using square wave anodic stripping voltammetry
H.N. Hassan (Cairo, Egypt), M.E. Hassouna (Beni-Suef, Egypt) and I.H. Habib (Cairo, Egypt) . . . 1195
Adsorption of heavy metal ions onto dithizone-anchored poly (EGDMA-HEMA) microbeads
B. Salih, A. Denizli, C. Kavaklı, R. Say and E. Pişkin (Ankara, Turkey) 1205

Book reviews 1215

Announcements 1219

No. 6 **August 1998**

Review

Piezoelectric quartz crystal biosensors
R.L. Bunde, E.J. Jarvi and J.J. Rosentreter (Pocatello, ID, USA) 1223

Regular

Gravimetric determination of tin with sodium cyclotetramethylenedithiocarbamate and its applications in metal analysis
Z. Nan (Shanghai, People's Republic of China). 1237

Flow-injection spectrophotometric determination of calcium using murexide as a color agent
K. Grudpan, J. Jakmunee, Y. Vaneesorn, S. Watanesk, U.A. Maung and P. Sooksamiti (Chiang Mai, Thailand) 1245

Discrimination between arabica and robusta green coffee varieties according to their chemical composition
M.J. Martín, F. Pablos and A.G. González (Seville, Spain). 1259

Screening of antimony in PVC by solid sampling-graphite furnace atomic absorption spectrometry
M.A. Belarra, I. Belategui, I. Lavilla, J.M. Anzano and J.R. Castillo (Zaragoza, Spain) 1265

Preparation and chemical characterization of high purity fluorapatite
R. Fábián, I. Kotsis, P. Zimány and P. Halmos (Veszprém, H, Hungary) 1273

ICP–AES determination of small amounts of zinc in copper-base alloys after separation by adsorption of the zinc–TAN complex on Sep Pak C18 cartridges
L.S. Teixeira, J.O. Reis, A.C. Costa, S.L. Ferreira, M.G. Korn and J.B. de Andrade (Salvador, Bahia, Brazil). 1279

Acid–base dissociation constants of 2,2′-bipyridyl in mixed protic solvents
J. Fan, J. Wang and C. Ye (Xinxiang, Henan, China). 1285

Flow injection analysis of potassium using an all-solid-state potassium-selective electrode as a detector
S. Komaba, J. Arakawa, M. Seyama, T. Osaka (Tokyo, Japan), I. Satoh (Kanagawa, Japan) and S. Nakamura (Tokyo, Japan) 1293

A modified catalytic–photometric method for the determination of vanadium in chloride rich hydro-geochemical samples
B.K. Balaji, G. Saravanakumar, P. Murugesan and G. Mishra (Vadodara, Gujarat, India) 1299

Applying magnesium hydroxide coprecipitation method for trace analysis to dialysis concentrate
L. Elçi and S. Saraçoğlu (Kayseri, Turkey) 1305

Determination of arsenic content in natural water by graphite furnace atomic absorption spectrometry after collection as molybdoarsenate on activated carbon
T. Kubota, T. Yamaguchi and T. Okutani (Chiba, Japan) 1311

Determination of total thallium in fresh water by electrothermal atomic absorption spectrometry after colloid precipitate flotation
T. Stafilov and K. Čundeva (Skopje, Macedonia). 1321

Cross-sections of spectrochromatograms for the resolution of overlapping peaks in diode-array high-performance liquid-chromatography
A. Garrido Frenich, M. Martínez Galera, M.D. Gil García, J.L. Martínez Vidal (Almería, Spain), A. Muñoz de la Peña and F. Salinas (Badajoz, Spain). 1329

Lead ion selective PVC membrane electrode based on 5,5′-dithiobis-(2-nitrobenzoic acid)
A. Rouhollahi, M. Reza Ganjali (Tehran, Iran) and M. Shamsipur (Kermanshah, Iran) 1341

Simultaneous determination of selenium and lead in whole blood samples by differential pulse polarography
R. İnam and G. Somer (Ankara, Turkey) 1347

Determination of pentoxifylline in pharmaceutical formulations using iodine as oxidizing agent
C.S. Sastry and P.Y. Naidu (Visakhapatnam, India) 1357

A selective voltammetric method for uric acid detection at Nafion®-coated carbon paste electrodes
J.-M. Zen and C.-T. Hsu (Taichung, Taiwan). 1363

Pre-concentration of rare earths using silica gel loaded with 1-(2-pyridylazo)-2-naphthol (PAN) and determination by energy dispersive X-ray fluorescence
L. Cornejo-Ponce, P. Peralta-Zamora and M.I. Bueno (Campinas-SP, Brazil) 1371

Spectrophotometric determination of nitrite based on its catalytic effect on the oxidation of carminic acid by bromate
J.L. Manzoori, M.H. Sorouraddin and A.M. Haji-Shabani (Tabriz, Iran) 1379
Determination of Fe(II), Cu(II) and Ag(I) by using silica gel loaded with 1,10-phenanthroline
O. Zaporozhets, O. Gawer and V. Sukhan (Kyiv, Ukraine) 1387
Microcoated wire sensors for the determination of anticancer drugs cyclophosphamide and ifosphamide in the presence of their degradates
S.S. Hassan (Ain Shams, Egypt), M.M. Amer, S.A. Abd El-Fatah and A.M. El-Kosasy (Kasrel Aini Cairo, Egypt) 1395
Screen-printed voltammetric sensor for TNT
J. Wang, F. Lu, D. MacDonald, J. Lu, M.E. Ozsoz (Las Cruces, NM, USA) and K.R. Rogers (Las Vegas, NV, USA) 1405
Spectral characterization of a novel near-infrared cyanine dye: a study of its complexation with metal ions
L. Tarazi, A. George, G. Patonay and L. Strekowski (Atlanta, GA, USA) 1413
Benzeneacetaldehyde-4-hydroxy-α-oxo-aldoxime as a new analytical reagent for the spectrophotometric determination of cobalt
S.B. Jadhav, S.S. Utekar, A.J. Kulkarni, A. Varadarajan and S.P. Malve (Mumbai, India) 1425
Second derivative spectrophotometric determination of partition coefficients of phenothiazine derivatives between human erythrocyte ghost membranes and water
K. Kitamura, T. Goto and T. Kitade (Kyoto, Japan) 1433
Determination of pK_a's for thymol blue in aqueous medium: evidence of dimer formation.
P. Balderas-Hernández (México D.F., Estado de México, C.P., Mexico), M.T. Ramírez, A. Rojas-Hernández and A. Gutiérrez (México D.F., Mexico) 1439
Novel PVC-based membrane sensors selective for vanadyl ions
A.K. Jain, V.K. Gupta, L.P. Singh and U. Khurana ((U.P.), India) 1453
Synthesis and properties of new chelating resin with a spacer containing α-nitroso-β-naphthol as the functional group
V.G. Akerkar, N.B. Karalkar, R.K. Sharma and M.M. Salunkhe (Mumbai, India) 1461
Effect of ionic strength on the formal potential of the glass electrode in various saline media
I. Brandariz, T. Vilariño, P. Alonso, R. Herrero (La Coruña, Spain), S. Fiol (Santiago de Compostela, Spain) and M.E. Sastre de Vicente (La Coruña, Spain) 1469
Column preconcentration of organotin with tropolone-immobilized and their determination by electrothermal atomization absorption spectrometry
P. Bermejo-Barrera, G. González-Campos, M. Ferrón-Novais and A. Bermejo-Barrera (Santiago de Compostela, Spain) 1479
Cesium-selective optode membrane based on the lipophilic calix[4]biscrown in the 1,3-alternate conformation
H. Zeng and B. Dureault (Gif sur Yvette, France) 1485
An optimization procedure for determination of indomethacin and acemethacin by differential pulse adsorptive stripping voltammetry. Application on urine samples
C. Reguera, M. Julia Arcos and M. Cruz Ortiz (Burgos, Spain) 1493
A consideration of electrode polishing prior to application of pulsed amperometric detection
A. Inoue, R.L. Earley, M.W. Lehmann and L.E. Welch (Galesburg, IL, USA) 1507
Spectrophotometric determination of trace amounts of cobalt with 2-hydroxybenzaldehyde-5-nitro-pyridylhydrazone in presence of surfactant after separation with Amberlite IRC-718 resin
C.-I. Park and K.-W. Cha (Incheon, South Korea) 1515
Quantitative separation of zinc traces from cadmium matrices by solid-phase extraction with polyurethane foam
D. Santiago de Jesus (SSA-Bahia, Brazil), M. Souza de Carvalho (CNEN-Rio de Janeiro, Brazil), A.C. Spínola Costa and S.L. Costa Ferreira (Salvador Bahia, Brazil) 1525
Adsorptive stripping voltammetric determination of antimony
C.-l. Zhou (Lanzhou, China), Y. Lu, X.-l. Li, C.-N. Luo, Z.-w. Zhang (Jinan, China) and J.-m. You (Lanzhou, China) 1531

Development and validation of a reversed phase HPLC method for quantitative analysis of bis-isoxazolylnaphthoquinone
C.S. Ortiz and M.M. de Bertorello (C.C., Argentina) 1537
A novel thin-layer amperometric detector based on chemically modified ring-disc electrode and its application for simultaneous measurements of nitric oxide and nitrite in rat brain combined with in vivo microdialysis
L. Mao, G. Shi, Y. Tian, H. Liu, L. Jin (Shanghai, People's Republic of China), K. Yamamoto, S. Tao and J. Jin (Tokyo, Japan) 1547
Determination of heavy metal concentration in feed and permeate streams of polymer enhanced ultrafiltration process
J. Müslehiddinoğlu, Y. Uludağ, H.O. Ozbelge and L. Yılmaz (Ankara, Turkey). 1557
Determination of iron(III) with salicylic acid by the fluorescence quenching method
K.-W. Cha and K.-W. Park (Incheon, South Korea). 1567
Detection and spectrophotometric determination of EDTA with cobalt(II) and phosphomolybdic acid in urine and detergents
R. Parkash, R. Bansal, S.K. Rehani and S. Dixit (Chandigarh, India) 1573
Reversed-phase HPLC method for the estimation of acetaminophen, ibuprofen and chlorzoxazone in formulations
S. Ravisankar, M. Vasudevan, M. Gandhimathi and B. Suresh (Ootacamund, Tamilnadu, India). . . 1577
Glutathione oxidase-like activity of glass beads, silica gel and anion-exchange resin modified with cobalt(III)–tetrakis(4-carboxyphenyl)porphine
M. Mifune, R. Harada, A. Iwado (Okayama, Japan), N. Motohashi (Kobe, Japan) and Y. Saito (Okayama, Japan) 1583
Determination of chloride ion in aqueous samples by isotope-dilution Fourier-transform flame infrared emission (ID-FIRE) spectrometry
K.W. Busch, A.J. Kuehn, M.A. Busch, S. Yescas (Waco, TX, USA), I.Y. Guzman Jimenez (Monterrey, Mexico) and C.M. Algozo (South Hadley, MA, USA). 1591

Short communications

Transport and separation of Ag^{+} and Zn^{2+} by donnan dialysis through a monovalent cation selective membrane
A.T. Cherif, C. Gavach, J. Molenat (Montpellier, France) and A. Elmidaoui (Kénitra, Morocco) . . 1605
The extraction equilibria of the ion associate of periodate with 1-(3,5-diamino-6-chloropyrazinecarboxyl) guanidine
S.M. Aldhaheri (Al-Ain, United Arab Emirates) 1613
Some aspects of the use of heteropoly anions in elemental analysis by simple potentiometric ion-pair formation-based titration
K. Vytřas, J. Ježková and J. Skořepa (Pardubice, Czech Republic) 1619

Book reviews 1623
Announcements 1625
Volume contents 1629
Author index 1641
Subject index 1645